



Six reasons to choose **Ezi-action®** Drumpumps

1. Method of choice for hand dispensing

The Ezi-action® Drumpumps are increasingly becoming the method of choice worldwide for hand dispensing a variety of liquids safely and reliably from 25 litre, 60 litre, 110 litre and 200 litre containers.

2. Excellent for wide range of liquid products

Due to the patented pumping principle there is no friction to be overcome in the low pressure, high volume pumping action and no parts to wear or jam. Harsh chemicals even containing mild solvents and viscous fluids can be safely and reliably dispensed.

3. Reliability

As a testimony to quality the Ezi-action® Drumpumps come with a 24 month manufacturer's warranty. The Drumpump is not warranted against misuse or for pumping petrol or strong solvents.

4. Serviceability

In the event of long term chemical attack on the flap valves service kits ensure continuous pumping for the more than 5 years expected life of the Ezi-action® Drumpumps under normal conditions.

5. Safety

The anti-pumping safety strap deters access and protects against accidental discharge.

The swivel spout turns upwards to prevent drips.

The one litre calibrated Safety Measure provides a totally enclosed system that enhances chemical safety programmes.

6. Customer loyalty

Ezi-action® Drumpumps build loyalty to liquid products and add value by solving the problem of how to dispense fluids safely and reliably.

Manufactured by Multi Award Winner:
The NZ Pump Company Ltd, Hamilton,
New Zealand.



Wisely Global Solutions Pte Ltd
237 Pandan Loop #07-02
Westech Building
Singapore 128424

T: (65) 6254 2190
F: (65) 6254 2196
E: enquiry@wisely.com.sg

www.wisely.com.sg



Ezi-action® 25/5 Drumpump

Standard Features include:

- Polypropylene and polyethylene construction - chemical resistant.
- True double action pump – innovative, easy, patented pumping technology.
- Delivers on both the up and down stroke - continuous fast flow.
- Anti-pumping/safety device – deters access by children and unauthorised personnel.
- Pumps from base of container – all contents emptied.
- Unique Ezi-action® Adaptor fittings – leak free, secure fit.
- Constructed from FDA compliant plastics – confidence with liquid food products.
- 24 month manufacturer's warranty – high quality construction.
- Fully serviceable – dispense container after container, year after year.
- Spout style – Short spout. Extender hose can be attached to outlet spout.

Technical data

Style	Output per stroke	Maximum depth neck to bottom	
25/5 (For 25 litre (5 gallon) containers) (Also suitable for 20 and 30 litre containers)	160ml	420mm	
Width of spout	Length of Spout	Width of case pipe	
20 mm (Spout opening fits 25mm diameter extender hose)	110mm	41mm	
Ezi-action® Adaptor Fitting*	Weight per pump	Outer carton contents	Outer carton dimensions
C57, C63 (Europe) C55, C63 (Australia, NZ) * Fittings for all container styles available	400gms	20 pumps Each pump packaged in a plastic sleeve with a header card incorporating instructions stapled to the top.	1170 x 300 x 270 mm 10kg 0.095 cubic metres

Wisely Gopal Solutions Pte Ltd
237 Pandan Loop #07-02
Westech Building
Singapore 128424

T: (65) 6254 2190
F: (65) 6254 2196
E: enquiry@wisely.com.sg



Ezi-action® 25/5L Drumpump with long spout

Ezi-action® 25/5 Drumpump with short spout

www.wisely.com.sg



Ezi-action® 200/55 Drumpump

Standard Features include:

- Polypropylene and polyethylene construction - chemical resistant.
- True double action pump – innovative, easy, patented pumping technology.
- Delivers on both the up and down stroke - continuous fast flow.
- Anti-pumping/safety device – deters access by children and unauthorised personnel.
- Pumps from base of container – all contents emptied.
- Unique Ezi-action® Adaptor fittings – leak free, secure fit.
- Constructed from FDA compliant plastics – confidence with liquid food products.
- 24 month manufacturer's warranty – high quality construction.
- Fully serviceable – dispense container after container, year after year.
- Spout style – Extender hose can be attached to outlet spout.

Technical data

Style	Output per stroke	Maximum depth neck to bottom	
200/55 (For 200 litre (55 gallon) drums) (Also suitable for 100 litre (30 gallon) drums)	400ml (15oz)	930mm (36 inches)	
Width of spout	Width of case pipe	Ezi-action® Adaptor Fitting*	
20mm (Spout opening fits 25mm (1 inch) diameter extender hose)	41mm (1 1/2 inch)	M69, M55, MBSP (Europe) MR, M63, (USA) M63, M55, MBSP (Australia) M63, MBSP (New Zealand) * Fittings for all drum styles available	
Outer carton contents	Weight per Pump	Outer carton dimensions (metric)	Outer carton dimensions (USA)
10 pumps. Each pump packaged in a plastic sleeve with a header card incorporating instructions stapled to the top.	700gms (1.6lbs)	1170 x 300 x 270 mm 8.5kg 0.095 cubic metres	46 x 12 x 11 inches 20lbs



Wisely Gopal Solutions Pte Ltd
237 Pandan Loop #07-02
Westech Building
Singapore 128424

T: (65) 6254 2190
F: (65) 6254 2196
E: enquiry@wisely.com.sg

www.wisely.com.sg



Ezi-action® 1370 IBC Pump

Standard Features include:

- Polypropylene and polyethylene construction - chemical resistant.
- True double action pump – innovative, easy, patented pumping technology.
- Delivers on both the up and down stroke - continuous fast flow.
- Anti-pumping/safety device – deters access by children and unauthorised personnel.
- Pumps from base of IBC - all contents emptied, no risk of expensive wastage or hazardous chemical spill through IBC tap.
- Unique Ezi-action® Adaptor Fitting for small cap in centre of IBC lid - leak free, secure fit.
- Constructed from FDA compliant plastics – confidence with liquid food products.
- 24 month manufacturer's warranty – high quality construction.
- Fully serviceable - dispense IBC after IBC, year after year.
- Spout style – Extender hose can be attached to outlet spout.

Technical data

Style	Output per stroke	Maximum depth neck to bottom
1370 IBC (For IBC, 1000 litre totes, transi tanks)	400ml (15oz)	1185mm (46.5 inches)
Width of spout	Width of case pipe	Ezi-action® Adaptor Fitting*
20mm (Spout opening fits 25mm (1 inch) diameter extender hose)	41mm (1 1/2 inch)	Most common fittings are MBSP and M55 *Fittings for all small cap openings available



Wisely Gopal Solutions Pte Ltd
237 Pandan Loop #07-02
Westech Building
Singapore 128424

T: (65) 6254 2190
F: (65) 6254 2196
E: enquiry@wisely.com.sg

www.wisely.com.sg